# **EMERGENCY LIGHTING**

**COMPLETION CERTIFICATE** 

PaineManwaring

Electrical • Heating • Plumbing

For New Installations and Verification of Existing Installations

Details of Client		
Client	W STIRLAND LTD	
	BIRDHAM , CHICHESTER	
Address	WEST SUSSEX,, PO20 7HT	
Details of Installation		
Occupier	Occupier	
Installation	BLOCK C (EAST)	
Address	SOUTHERN GATE , CHICHESTER WEST SUSSEX	
Type of Installation		
Type of installation	✓ New Addition	Alteration Verification of Existing Installation
BSI Installation Category	X - Self-contained	Mode of Operation 0 - Non-Maintained
Facilities	A - Includes test device	Duration (in minutes) 180
		For self-contained systems
Extent of the installation covered by this certificate	EMERGENCY LIGHTING WITHIN BLOCK C	
•	JOB REF: EC004495	
Essential related reference documents	PAINE MANWARING DRAWINGS EC04105-E800, 801 &	802
Particulars of Approve	d Contractor	
Company	PAINE MANWARING LTD	NICEIC Enrolment 1570
		Number Branch No.(If
Address	LEIGH ROAD, TERMINUS INDUSTRUAL ESTATE CHICHESTER,, WEST SUSSEX,	Applicable)
	PO19 8TS	Responsible for (tick ✓ as appropriate)
		Design ✓ Installation ✓ Verification
<b>Declaration of Conform</b>	<mark>nity</mark>	
		ergency lighting system installation, or part thereof, at the above premises conforms,
BS EN 1838:2013 Lighting applic		6-1:2016, Emergency lighting - Part 1: Code of practice for the emergency lighting of premises, ency escape lighting systems, as set out in the accompanying declarations, except as stated
below/overleaf.		
DEL#ATIONS	100	
DEVIATIONS FROM STANDA	ARDS	
Declaration (Design,		
installation or verification)	Clause Number	Details of deviation
Vormoadoriy		
Engineer	RICHARD HUMPHREY	Qualification
Position	ELECTRICIAN	
Signature	RHuyshery	Date 25/04/2018
This Certificate is only valid whe		
	gn, installation and verification, as applicable (see overleaf). s can be in any of the following formats but in all cases approp	priate
de-rating factors must be use	d and identified to meet worst case requirements. such as ICEL 1001 registered tables.	
	BS 5266-1:2016, Annex D and CIBSE/SLL Guide LG12.	
c) Test log book.		

# EMERGENCY LIGHTING DESIGN DECLARATION

For New Installations and Verification of Existing Installations

62		as	

Particulars of Approved	Contractor	
Company	PAINE MANWARING LTD	Registration Number
Address	LEIGH ROAD, TERMINUS INDUSTRUAL ESTATE CHICHESTER., WEST SUSSEX, PO19 8TS	Branch No.(If Applicable)

			System conforms (if not, record a deviation)		
BS 5266-1:2016 clause reference	Recommendations	Yes	No	N/A	
4.2	D1 Accurate plans available showing escape routes, fire alarm control panel, call points and fire extinguishers.	<b>√</b>			
5.2.9	D2 Escape route signs in accordance with BS EN ISO 7010 and BS 5499-4 and other safety sign accordance with BS EN ISO 7010 and BS 5499-10, clearly identifiable and adequately illumin.				
6.7	D3 The luminaires conform to BS EN 60598-2-22.	<b>✓</b>			
	D4 Luminaires located at following positions (near means within 2m horizontally).	<u> </u>	!	Į.	
	a) At each exit door intended to be used in an emergency.	✓			
	b) Near stairs so each tread receives direct light.	<b>✓</b>			
	c) Near any other change in level.	· ·			
	d) Externally illuminated escape route signs, escape route direction signs and other safety signs to be illuminated under emergency lighting conditions.	needing			
	e) At each change of direction.	<b>✓</b>			
5.2.8.1	f) At intersections of corridors.	<b>✓</b>			
	g) Near to each final exit and outside the building to a place of safety.	<b>✓</b>			
	h) Near each first aid post.			·	
	i) Near each piece of fire-fighting equipment and call point.	<b>✓</b>			
	j) Near escape equipment provided for disabled people.				
	k) Near refuges and call points, including two-way communication systems and disabled toilet al.	arm call			
	positions.  1) Near manual release controls provided to release electronically locked doors.	· ·			
6.3	D5 Each room (open area) and escape route has visible light from at least two emergency lumina	·			
5.2.8	D6 Additional emergency lighting provided where needed to illuminate:	,			
5.2.8.3	a) Evacuation lift cars.			<b>✓</b>	
5.2.8.4	b) Moving stairways and walkways.			1	
5.2.8.5	c) Toilet facilities larger than 8 m <sup>2</sup> floor area or without borrowed light, and those for use by disal	oled 🗸			
5.2.8.6	people. d) Motor generator, control, plant and switch rooms.	· ·			
5.2.8.7	e) Covered car parks.	<u> </u>		<b>✓</b>	
6.7.3	D7 Design duration adequate for the application.	<b>✓</b>		+ -	
10.6; 10.7; Clause 11	D8 Operation and maintenance instructions and a suitable log book produced for retention and us			+	
5.2.5; 5.2.6; 5.2.7	building occupier.  D9 At least the minimum illuminance provided for escape routes, open areas and high risk task at	· · · · · · · · · · · · · · · · · · ·		+	
5.3.2	D10 At least the minimum illuminance provided for emergency safety lighting.	<b>→</b>		+	
	is (To be entered on Completion Certificate)  Details of deviation				
ne best of our knowledg	nce of the appended declarations, Wehereby declare that the emergency lighting system installation, or e and belief, to the appropriate recommendations given in BS-5266-1:2016, Emergency lighting - Part 1: applications - Emergency Lighting and BS EN 50172:2004, Emergency escape lighting systems, as set of	Code of practise for the	emergency lighti	ng of premi:	
ow/overleat. Engineer	ANDY PRAGER Qualification				
Position	QUALIFYING ENGINEER				
Signature	Date 25/04/2018				

#### **EMERGENCY LIGHTING**

#### **INSTALLATION DECLARATION**

For New Installations and Verification of Existing Installations

70	62	ΝЛ	28	4~
/	n	W	28	пе

Particulars of Approve	d Contractor		
Company	PAINE MANWARING LTD	NICEIC Enrolment Number	1570
Address	LEIGH ROAD, TERMINUS INDUSTRUAL ESTATE CHICHESTER., WEST SUSSEX, PO19 8TS	Branch No.(If Applicable)	1

#### **Installation Declaration of Conformity** System conforms (if not,record a deviation) BS 5266-1:2016 Recommendations Yes N/A No clause reference IN1 The system installed conforms to the agreed design. Clause 6 IN2 All non-maintained luminaires fed or controlled by the final circuit supply of their local normal mains 6.1 IN3 Luminaires mounted at least 2 m above the floor. 6.4 Luminaires mounted at a suitable height to avoid being located in smoke reservoirs or other likely area 6.4 of smoke accumulation. IN5 Safety signs provided as follows: 5.2.9 a) Escape route signs in accordance with BS EN ISO 7010 and BS 5499-4, adequately illuminated and identifiable. 5.2.9.1 b) Other safety signs in accordance with BS EN ISO 7010 and BS 5499-10, adequately illuminated and 5.2.9.2 IN6 The wiring of central power systems has adequate fire protection and is appropriately sized. 8.2 IN7 Output voltage range of the central power system is compatible with the supply voltage range of the 8.3.5 luminaires, taking into account supply cable voltage drop. IN8 All plugs and sockets protected against unauthorized use 8.2.12 IN9 The system has suitable and appropriate testing facilities for the specific site. 8.3.3 IN10 The equipment manufacturers' installation and verification procedures satisfactorily completed. Clause 11 IN11 The system conforms to BS 7671. Clause 8 Deviations from Standards (To be entered on Completion Certificate) Details of deviation In consequence of acceptance of the appended declarations, We hereby declare that the emergency lighting system installation, or part thereof, at the above premises has been installed to the best of our knowledge and belief, to the appropriate recommendations given in BS-5266-1:2016, Emergency lighting - Part 1: Code of practise for the emergency lighting of premises, BS EN 1838:2013 Lighting applications - Emergency lighting and BS EN 50172:2004, Emergency escape lighting systems, as set out in the accompanying declarations, except as stated below/overleaf RICHARD HUMPHREY Qualification Engineer ELECTRICIAN Position Signature Date 25/04/2018

### **EMERGENCY LIGHTING**

## **VERIFICATION DECLARATION**

For New Installations and Verification of Existing Installations

'റഒാ	- N	lac	ter

Particulars of Approved Contractor				
Company	PAINE MANWARING LTD	NICEIC Enrolment Number	1570	
Address	LEIGH ROAD, TERMINUS INDUSTRUAL ESTATE CHICHESTER., WEST SUSSEX, PO19 8TS	Branch No.(If Applicable)	1	

		PO19 8TS Applicable	e) <sup>`</sup>	1		
rification Declarat	ion (	of Conformity				
	T				System conforms	
	+-			(if no	ot, record a devia	ition)
BS 5266-1:2016 clause reference		Recommendations		Yes	No	N/A
4.2	V1	Plans available and correct.		✓		
8.3.3	V2	System has a suitable test facility for the application.		✓		l
5.2.9	V3	All escape route safety signs and fire-fighting equipment location signs, and other safet identified from risk assessment, visible with the normal lighting extinguished.	ty signs	✓		
Clause 5	V4	Luminaires correctly positioned and oriented as shown on the plans.		✓		
6.7.1	V5	Luminaires conform to BS EN 60598-2-22.		✓		1
6.7.1	V6	Luminaires have an appropriate category of protection against ingress of moisture or fo their location as specified in the system design.	oreign bodies for	✓		
Clause 12	V7	Luminaires tested and found to operate for their full rated duration.		✓		
Clause 12	V8	Under test conditions, adequate illumination provided for safe movement on the escape open areas, paths under emergency safety lighting, and operations within high risk task NOTE This can be checked by visual inspection and checking that the illumination from is not obscured and that minimum design spacings have been met.	k areas.	✓		
Clause 12	V9	After test, the charging indicators operate correctly.		✓		
8.2	V10	Fire protection of central wiring systems satisfactory.				✓
8.2.6	V11	Emergency circuits correctly segregated from other supplies.				<b>✓</b>
10.6; 10.7; Clause 11	V12	Operation and maintenance instructions together with a Clause 11 suitable log book sh satisfactory verification test provided for retention and use by the building occupier.	lowing a	✓		
Additional requirements for	r verific	cation of an existing installation				
10.7 and Clause 12	V13	Building occupier and their staff trained on suitable maintenance, testing and operating	procedures, or			<b>√</b>
Clause 12	V14	a suitable maintenance contract agreed.  V14 Test records in the log book complete and satisfactory.				<b>√</b>
Clause 12	V15	Luminaires clean and undamaged with lamps in good condition.				<b>√</b>
Clause 6	V16	Original design still valid NOTE If the original design is not available this needs to be recorded as a deviation.				<b>√</b>
Deviations from Standard Clause Number		be entered on Completion Certificate) alis of deviation				
In consequence of acceptar	nce of th	ne appended declarations, We hereby declare that the emergency lighting system installa				
		belief, to the appropriate recommendations given in BS 5266-1:2016, Emergency lighting ions - Emergency lighting and BS EN 50172:2004, Emergency escape lighting systems,				
Engineer	RIC	HARD HUMPHREY Qualification				
Position	ELE	CTRICIAN				
Signature		Ramphy Date 25/04	4/2018			